

1

**Capacity Allocation - Capacity Curtailment**

2

**Model Documentation**

3

4



The European message format for the gas market

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

*Version 6.1*

*Document Version: 2*

*Schema Version: 1*

23		
24		
25	<b>1</b>	<b>Model Detail.....3</b>
26	<b>2</b>	<b>Capacity Curtailment Document usage decision table.....4</b>
27	<b>3</b>	<b>Capacity Curtailment .....5</b>
28	3.1	Business Process .....5
29	3.1.1	Capacity Curtailment Document Use .....5
30	3.1.1.1	Capacity Curtailment Sequence .....5
31	3.1.1.2	Curtailment Workflow .....6
32	3.2	Capacity Curtailment (CAPCUR) .....7
33	3.2.1	Capacity Curtailment Contextual Model .....7
34	3.2.2	Capacity Curtailment Assembly Model .....8
35	3.2.2.1	CapacityCurtailment_Document .....9
36	3.2.2.1.1	Attributes .....9
37	3.2.2.2	ConnectionPoint .....9
38	3.2.2.2.1	Attributes .....9
39	3.2.2.3	Account .....10
40	3.2.2.3.1	Attributes .....10
41	3.2.2.4	Availability .....10
42	3.2.2.4.1	Attributes .....10
43	3.2.2.5	Period .....10
44	3.2.2.5.1	Attributes .....10
45	<b>4</b>	<b>Document Change Log.....11</b>
46	4.1	Version .....11
47	4.1.1	Attributes .....11
48		
49		

# 50 1 Model Detail

## 51 COPYRIGHT & LIABILITY

52 The Edig@s Workgroup (EASEE-Gas Message and Workflow Design Working Group) disclaims and excludes, and  
53 any user of the Edig@s Workgroup Implementation Guidelines acknowledges and agrees to the Edig@s Workgroup  
54 disclaimer of, any and all warranties, conditions or representations, express or implied, oral or written, with respect to  
55 the guidelines or any part thereof, including any and all implied warranties or conditions of title, non-infringement,  
56 merchantability, or fitness or suitability for any particular purpose (whether or not the Edig@s Workgroup knows, has  
57 reason to know, has been advised, or is otherwise in fact aware of any such purpose), whether alleged to arise by law,  
58 by reason of custom or usage in the trade, or by course of dealing. Each user of the guidelines also agrees that under  
59 no circumstances will the Edig@s Workgroup be liable for any special, incidental, exemplary, punitive or  
60 consequential damages arising out of any use of, or errors or omissions in, the guidelines.

## 61 2 Capacity Curtailment Document usage decision table

62 The following decision table provides a summary of the message requirements depending on the type of message:

Capacity Curtailment	Changed Capacity (Curtailment)	Total Available Capacity
identification	Mandatory.	
version	Mandatory.	
documentCode	12G = Changed capacity	AMG = Total available capacity
creationDateTime	Mandatory.	
validityPeriod	Mandatory.	
issuer_MarketParticipant.identification	Mandatory; codingScheme = 305 (EIC Party X Code).	
issuer_MarketParticipant.marketRole.roleCode	ZSO = System Operator	
recipient_MarketParticipant.identification	Mandatory; codingScheme = 305 (EIC Party X Code).	
recipient_MarketParticipant.marketRole.roleCode	ZUV = Capacity Responsible Party ZSO = System Operator	ZUV = Capacity Responsible Party ZSO = System Operator
ConnectionPoint.identification	Mandatory; codingScheme 305 (EIC Measurement Point Z or Y code) or ZSO.	
ConnectionPoint.measureUnit.unitOfMeasureCode	KW1 = Kilowatt-hour per hour (kWh/h) KW2 = Kilowatt-hour per day (kWh/d)	
Availability.availabilityCode	Mandatory. Z06 = Firm Z05 = Interruptible	
Account.internalAccount	May be used; if specific accounts are identified; codingScheme = 305 (EIC Account Y code) or ZSO	Not used
Account.internalAccountTso	Used if the account identification is ambiguous; codingScheme = 305 (EIC Party X code).	Not used
Period.timeInterval	Mandatory.	
Period.direction.gasDirectionCode	Z02 = Input quantity. Z03 = Output quantity	
Period.quantity.amount	Mandatory.	
Period.reasonForChange_Status.statusCode	23G = Unplanned unavailability. 22G = Planned unavailability.	Not used

63

### 64 3 Capacity Curtailment


#### 65 3.1 Business Process

##### 66 3.1.1 Capacity Curtailment Document Use

67 In specific cases capacity may require to be curtailed. This is handled with flows 1 and 2. Such a case may happen at  
68 any time. In some cases the Capacity Responsible Party may decide that it is necessary to re-nominate.

##### 69 3.1.1.1 Capacity Curtailment Sequence

70  
71



72  
73  
74

Figure: 1 Capacity Curtailment Sequence

75 **3.1.1.2 Curtailment Workflow**

76 A System Operator can inform Capacity Responsible Party's and the adjacent System Operators of a change of capacity  
 77 due to curtailment. It can occur at any time.

78 The process starts whenever a System Operator determines a necessity to curtail proposed capacity due to some  
 79 network security or network constraint.

80 The System Operator immediately informs the Capacity Responsible Party's and adjacent System Operators of the  
 81 revised capacity. The receiving parties acknowledge receipt of the change which terminates the process.  
 82




Figure: 2 **Curtailment workflow**

83  
 84  
 85

86 **3.2 Capacity Curtailment (CAPCUR)**

87 **3.2.1 Capacity Curtailment Contextual Model**

88  
89




Figure 3 **Capacity Curtailment Contextual Model**

90  
91  
92

93 3.2.2 Capacity Curtailment Assembly Model

94




Figure: 4 Capacity Curtailment Assembly Model

95  
96  
97

98

### 99 3.2.2.1 CapacityCurtailment\_Document

100 This class provides the basic information needed to describe most electronic documents.

101 A Capacity Curtailment Document is used to provide commercial capacity information or during the transport phase  
102 of the nomination process by a System Operator to inform a Capacity Responsible Party and the counter System  
103 Operator of a change in capacity which may require nominations that have already taken place to be re-nominated.

#### 104 3.2.2.1.1 Attributes

Attribute	Description	Multiplicity
identification	A unique identification of a document that is assigned by the issuer. This identifies the document being reported.	
version	Version of the document being sent.	
documentCode	Coded representation of the type of the electronic document. (Refer to the Edig@s DocumentCodeTypeCodeList for the list of valid codes).	
creationDateTime	Date and time of the creation of the current document expressed in UTC.	
validityPeriod	The start and end date and time expressed in UTC of the period of validity covered in the document.	
issuer_MarketParticipant.identification	A code identifying the role played by a market participant in the market. --- The issuer of the document	
issuer_MarketParticipant.marketRoleCode	A code identifying the role played by a market participant in the market. (Refer to the Edig@s RoleCodeTypeCodeList for the list of valid codes).  --- The issuer of the document --- The role of the issuer.	
recipient_MarketParticipant.identification	The identification of the party participating in the market. --- The recipient of the document.	
recipient_MarketParticipant.marketRoleCode	A code identifying the role played by a market participant in the market. (Refer to the Edig@s RoleCodeTypeCodeList for the list of valid codes).  --- The recipient of the document. --- The role of the recipient.	

#### 105 3.2.2.2 ConnectionPoint

106 There may be one to many connection points in a Capacity Curtailment Document.

#### 107 3.2.2.2.1 Attributes

Attribute	Description	Multiplicity
identification	The identification of a connection point.	
measureUnit.unitOfMeasureCode	The coded representation of a unit of measure using the UN/CEFACT Recommendation 20 common codes. (Refer to the Edig@s UnitOfMeasureCodeTypeCodeList for the list of valid codes).	

108

### 109 3.2.2.3 Account

110 This class only exists in the case of curtailment.

#### 111 3.2.2.3.1 Attributes

Attribute	Description	Multiplicity
internalAccount	The identification of the internal account that is defined by the transmitting System Operator.	
internalAccountTso	The identification of the TSO that assigned the internal account	[0..1]

### 112 3.2.2.4 Availability

113 The identification of the nature of the availability of a product.

114 This class shall never be used in the case of curtailment except in the case of a System Operator to System Operator exchange.

#### 116 3.2.2.4.1 Attributes

Attribute	Description	Multiplicity
availabilityCode	A code identifying the nature of the availability of a product (interruptible, firm, etc). (Refer to the Edig@s AvailabilityCodeTypeCodeList for the list of valid codes).	

### 117 3.2.2.5 Period

118 There must always be at least one Period class.

#### 119 3.2.2.5.1 Attributes

Attribute	Description	Multiplicity
timeInterval	The start and end date and time expressed in UTC of the time interval of the period in question.	
direction.gasDirectionCode	A code identifying the direction of a gas flow. (Refer to the Edig@s GasDirectionCodeTypeCodeList for the list of valid codes).	
quantity.amount	The amount of a quantity. This is the new reduced capacity amount.	
reasonForChange_Status.statusCode	A code providing the status of an object. (Refer to the Edig@s StatusCodeTypeCodeList for the list of valid codes).	[0..1]

120

## 121 4 Document Change Log

### 122 4.1 Version

#### 123 4.1.1 Attributes

Attribute	Description	Multiplicity
Version 1 2020-06-29	Initial release	
Version 2 2021-04-26	Release 6.1 Corrected decision table for status code attribute, to unplanned and planned unavailability instead of availability.	

124